

2.11	
V 34	T21
2.33	
V 34	T21
DESCE E ROSEOS	
2.58	
V 34	T21
2.80	
V 18	00.39.12 T22
MMS	
2.90	
V 25	00.39.32 T23
2.99	
V 25	T23
3.07	
V 25	T23
3.28	
V 25	T23
3.32	
V 25	T23
BANHO ADO	
3.35	
V 25	T23
3.46	
N 2'	00.40.53 T24
3.46	
V 40	00.42.53 T25
3.67	
V 40	T25
3.98	
V 27	00.43.39 T26
4.61	
V 40	00.45.03 T27
4.92	
V 40	T27
5.28	
V 40	T27
5.58	
V 40	T27
5.80	
V 18	00.46.50 T28
5.88	
V 18	T28
5.96	
V 40	00.47.22 T29
6.16	
V 40	T29
6.20	
V 40	T29
6.76	
V 40	T29
6.96	
V 40	T29
7.27	
V 25	00.49.20 T30
7.91	
V 34	00.50.53 T31
8.05	
V 34	T31
8.07	
V 34	T31
8.25	
V 25	00.51.29 T32
8.49	
V 40	00.52.03 T33
8.52	
V 40	T33
8.60	
V 40	T33
8.69	
V 40	T33
8.74	
N 4'	00.52.26 T34
0.00	
V 40	00.56.26 T35
0.11	
V 40	T35
0.48	
V 40	T35
0.67	
V 40	T35
0.81	
V 33	00.57.38 T36
1.03	
V 33	T36
1.09	
V 33	T36
CDD TOCOS	
1.22	
V 25	00.58.23 T37
1.30	
V 25	T37
1.33	
V 25	T37
1.51	
V 25	T37
1.53	
V 37	00.59.08 T38
1.56	
V 37	T38
VALA	
1.65	
V 37	T38
2.04	
V 37	T38
PEDRAS	
2.54	
V 37	T38
PPAL	
2.62	
V 45	01.00.54 T39
2.86	
V 45	T39
3.22	
V 45	T39
EROS OES	
3.74	
V 30	01.02.23 T40
MMS	
4.31	
V 45	01.03.32 T41
4.83	
V 45	T41
4.90	
V 45	T41
MANGUEIRA DE GADO	
5.11	
V 45	T41
NEUTRO	
5.20	
N 2'	01.04.43 T42
5.20	
V 33	01.06.43 T43
5.23	
V 33	T43
CDD	
5.37	
V 33	T43
TRONCO SIGA BANDEIRA	
5.70	
V 33	T43
PPAL	
5.80	
V 33	T43
CDD	
5.98	
N 1'	01.08.08 T44
5.98	
V 33	01.09.08 T45
6.01	
V 33	T45
CDD	
6.39	
V 33	T45
6.45	
V 33	T45
6.61	
V 33	T45
6.68	
V 33	T45
GASS	
6.81	
V 33	T45
MMS	
7.48	
V 33	01.11.52 T46
0.16	
V 33	T46
NEUTRO APRECIE VISUAL	
0.70	
N 1'	01.13.08 T47
0.70	
V 22	01.14.08 T48
NO MATO	
1.13	
V 22	T48
1.60	
V 25	01.16.35 T49
1.84	
V 25	T49
1.97	
V 25	T49
2.01	
V 33	01.17.34 T50
2.08	
V 33	T50
2.14	
V 33	T50
2.28	
N 1'	01.18.04 T51
2.28	
V 24	01.19.04 T52
2.40	
V 40	01.19.22 T53
3.30	
V 40	T53
3.60	
V 40	T53
3.68	
V 40	T53
4.59	
V 40	T53
CDD	
5.23	
V 30	01.23.37 T54

5.59				174
V 30		T54		
5.63				175
V 30		T54		
6.10				176
V 30		T54		
6.46				177
V 30		T54		
6.50				178
V 38	01.26.09	T55		
6.90				179
V 38		T55		
6.94				180
V 38		T55		
7.00				181
V 38		T55		
7.06				182
V 38		T55		
7.15				183
V 38		T55		
ZERE NO				ORELHAO
8.22				184
N 10'	01.28.52	T56		
0.00				185
V 30	01.38.52	T57		
0.14				186
V 30		T57		
0.26				187
V 30		T57		
CDD A				FALTO
0.47				188
D 6'	01.39.48	T58		
1.40				189
D 6'		T58		
SAI DO A				SFALTO
3.54				190
V 40	01.45.48	T59		
4.42				191
V 27	01.47.08	T60		
0.04				192
V 27		T60		
MM S				
0.70				193
V 27		T60		
CDD				PPAL
0.91				194
V 39	01.49.09	T61		
0.97				195
V 39		T61		
1.36				196
V 39		T61		
1.59				197
V 15	01.50.12	T62		
MEIO AR				VORES
1.68				198
V 15		T62		
MMS				
1.78				199
V 27	01.50.57	T63		
1.99				200
V 27		T63		
2.05				201
V 27		T63		
2.10				202
V 27		T63		
2.16				203
V 27		T63		
2.23				204
V 27		T63		
PPAL				
2.26				205
V 39	01.52.01	T64		
2.46				206
V 39		T64		
2.68				207
V 39		T64		
2.94				208
V 32	01.53.04	T65		
3.01				209
V 32		T65		
3.31				210
V 32		T65		
3.85				211
V 32		T65		
4.01				212
V 32		T65		
4.07				213
V 32		T65		
4.29				214
V 30	01.55.36	T66		
4.40				215
V 30		T66		
4.49				216
V 30		T66		
BEIRE EU				CALIPTO
4.61				217
V 30		T66		
4.72				218
V 30		T66		
4.82				219
V 30		T66		
4.90				220
V 30		T66		
5.06				221
V 32	01.57.08	T67		
5.13				222
V 32		T67		
5.33				223
V 32		T67		
5.46				224
V 32		T67		
5.52				225
V 32		T67		
5.63				226
V 32		T67		
5.74				227
V 33	01.58.25	T68		
5.99				228
V 33		T68		
6.21				229
V 33		T68		
6.34				230
V 33		T68		
6.70				231
V 33		T68		
6.89				232
V 33		T68		
CDD				PPAL
6.92				233
N 2'	02.00.34	T69		
0.00				234
V 32	02.02.34	T70		
0.29				235
V 32		T70		
0.33				236
V 32		T70		
0.92				237
V 32		T70		
1.02				238
V 32		T70		
1.20				239
V 29	02.04.49	T71		
BAND				
1.31				240
V 29		T71		
1.48				241
V 29		T71		
1.50				242
V 29		T71		
1.57				243
V 29		T71		
1.99				244
V 29		T71		
2.23				245
V 27	02.06.56	T72		
LAVO				URA
2.32				246
V 27		T72		
2.56				247
V 33	02.07.40	T73		
2.67				248
V 33		T73		
2.76				249
V 33		T73		
3.00				250
V 33		T73		
3.02				251
V 33		T73		
3.08				252
V 33		T73		
3.47				253
V 27	02.09.20	T74		
4.07				254
V 33	02.10.40	T75		
4.17				255
V 33		T75		
4.35				256
V 33		T75		
4.40				257
V 33		T75		
4.43				258
V 33		T75		
4.61				259
V 33		T75		
DESCE				PINUS
4.64				260
V 24	02.11.42	T76		
4.71				261
N 2'	02.11.52	T77		
4.71				262
V 27	02.13.52	T78		
5.11				263
V 27		T78		
5.18				264
V 27		T78		
5.21				265
V 27		T78		

5.26	V 27	T8	266	XXX XXXX
5.33	V 27	T8	267	XXX XXX
5.43	V 27	T8	268	XXX XXX
5.59	V 27	T8	269	MANUEIRA
5.66	V 27	T8	270	XXX XXXX
5.69	V 27	T8	271	LAGO
5.80	V 34	T9	272	02.16.18 CURVA PERIGOSA
6.10	V 34	T9	273	02.16.18
6.23	V 34	T9	274	02.16.18
6.36	V 20	T8	275	02.17.17 CUIDADO BARRANCO
6.60	N 1'	T8	276	02.18.00
6.60	V 28	T8	277	02.19.00
6.69	V 28	T8	278	02.19.00
6.79	V 28	T8	279	02.19.00
6.85	V 28	T8	280	02.19.00
7.08	V 28	T8	281	02.19.00
7.17	V 28	T8	282	02.19.00
7.35	V 28	T8	283	02.19.00
7.46	V 28	T8	284	02.19.00
7.51	V 28	T8	285	02.19.00
7.60	V 28	T8	286	02.19.00
7.62	V 33	T8	287	02.21.11
7.95	V 33	T8	288	02.21.11
8.02	V 33	T8	289	02.21.11
8.69	V 33	T8	290	02.21.11
8.97	V 28	T8	291	02.23.39 BALAIO DE GATO
9.05	V 28	T8	292	02.23.39
9.08	N 1'	T8	293	02.23.53
9.08	V 23	T8	294	02.24.53
9.12	V 23	T8	295	02.24.53
9.18	V 23	T8	296	02.24.53
9.25	V 23	T8	297	02.24.53
9.31	V 23	T8	298	02.24.53
9.39	V 23	T8	299	02.24.53
9.46	V 23	T8	300	02.24.53
9.49	V 23	T8	301	02.24.53
9.62	V 23	T8	302	02.24.53
9.67	V 23	T8	303	02.24.53
9.69	V 23	T8	304	02.24.53
9.73	V 23	T8	305	02.24.53
9.77	V 23	T8	306	02.24.53
9.86	V 23	T8	307	02.24.53
9.89	V 23	T8	308	02.24.53
9.92	V 23	T8	309	02.24.53
10.02	V 25	T8	310	02.27.20
0.08	V 25	T8	311	02.27.20
0.13	V 25	T8	312	02.27.20
0.17	V 25	T8	313	02.27.20
0.22	V 25	T8	314	02.27.20
0.24	V 25	T8	315	02.27.20
0.27	V 25	T8	316	02.27.20
0.32	V 25	T8	317	02.27.20
0.45	V 25	T8	318	02.27.20
0.55	V 25	T8	319	02.27.20
0.57	V 25	T8	320	02.27.20
0.63	V 25	T8	321	02.27.20
0.65	V 25	T8	322	02.27.20
0.75	V 25	T8	323	02.27.20
0.86	V 25	T8	324	02.27.20
0.91	V 25	T8	325	02.27.20
1.01	V 25	T8	326	02.27.20
1.06	V 25	T8	327	02.29.52
1.21	V 25	T8	328	02.29.52
1.39	V 25	T8	329	02.29.52
1.65	V 25	T8	330	02.29.52
1.70	V 25	T8	331	02.29.52
1.73	V 25	T8	332	02.29.52
1.77	V 25	T8	333	02.29.52
1.84	V 25	T8	334	02.29.52
1.90	V 25	T8	335	02.29.52
1.97	V 25	T8	336	02.29.52
1.99	V 25	T8	337	02.29.52
2.03	V 25	T8	338	02.29.52
2.06	V 25	T8	339	02.29.52
2.08	V 25	T8	340	02.29.52
2.32	V 25	T8	341	02.29.52
2.40	N 4'	T8	342	02.33.05
2.40	V 33	T9	343	02.37.05
2.57	V 30	T9	344	02.37.24
2.66	V 30	T9	345	02.37.24
2.77	V 30	T9	346	02.37.24
2.87	V 30	T9	347	02.37.24
3.08	V 30	T9	348	02.37.24
3.14	V 30	T9	349	02.37.24
3.23	V 40	T9	350	02.38.43
4.03	V 40	T9	351	02.38.43
4.24	V 40	T9	352	02.38.43
4.31	V 40	T9	353	02.38.43
5.09	V 40	T9	354	02.38.43
5.34	V 40	T9	355	02.38.43
0.00	N 25'	T9	356	02.41.53
0.07	V 40	T9	357	03.06.53
0.97	V 40	T9	358	03.06.53
1.24	V 36	T9	359	03.08.45

6.47	V 36	T114	451		
6.65	V 36	T114	452		
6.81	V 25	03.48.21	T115	453	
7.01	V 25		T115	454	
7.17	V 25		T115	455	
7.33	V 25		T115	456	
7.43	V 32	03.49.50	T116	457	
7.60	V 32		T116	458	
7.76	V 32		T116	459	
7.86	N 3'	03.50.38	T117	460	
0.00	V 35	03.53.38	T118	461	
0.56	V 35		T118	462	
0.65	V 35		T118	463	
1.15	V 35		T118	464	
1.63	V 33	03.56.26	T119	465	
1.69	V 33		T119	466	
1.80	V 33		T119	467	
1.90	V 37	03.56.56	T120	468	
2.31	V 37		T120	469	
2.61	V 37		T120	470	
3.08	V 37		T120	471	
3.25	V 37		T120	472	
3.50	V 37		T120	473	
4.00	V 37		T120	474	
4.26	V 37		T120	475	
4.51	N 10'	04.01.10	T121	476	
4.51	V 40	04.11.10	T122	477	
4.58	V 40		T122	478	
5.15	V 40		T122	479	
				480	
				481	
6.18	V 40		T122	480	
6.60	V 40		T122	481	
6.88	V 40		T122	482	
7.00	V 40		T122	483	
7.30	V 40		T122	484	
7.42	V 30	04.15.31	T123	485	
7.51	V 30		T123	486	
7.86	V 30		T123	487	
7.88	V 30		T123	488	
8.08	V 15	04.16.51	T124	489	
8.16	V 33	04.17.10	T125	490	
8.53	V 33		T125	491	
8.58	V 33		T125	492	
9.40	V 26	04.19.25	T126	493	
9.48	V 26		T126	494	
10.05				495	
0.00	N 2'	04.20.55	T127	495	
0.00	V 40	04.22.55	T128	496	
0.64	V 40		T128	497	
0.74	V 40		T128	498	
0.99	V 40		T128	499	
1.13	V 40		T128	500	
CONEXAO				501	
				502	
1.74	V 40		T128	501	
1.77	V 40		T128	502	
1.89	V 40		T128	503	
2.63	V 40		T128	504	
2.65	V 40		T128	505	
2.92	V 40		T128	506	
3.35	V 40		T128	507	
3.81	V 40		T128	508	
4.00	V 40		T128	509	
4.13	V 40		T128	510	
4.25	V 40		T128	511	
4.69	V 40		T128	512	
4.74	V 40		T128	513	
5.00	V 40		T128	514	
5.28	N 2'	04.30.50	T129	515	
5.28	V 40	04.32.50	T130	516	
5.47	V 40		T130	517	
5.55	V 40		T130	518	
5.58	V 40		T130	519	
5.68	V 40		T130	520	
5.75	V 40		T130	521	
5.96	V 40		T130	522	
6.09	V 40		T130	523	
6.12	V 51	04.34.06	T131	524	
6.48	V 51		T131	525	
7.35	V 51		T131	526	
7.99	V 51		T131	527	
8.20	N 2'	04.36.33	T132	528	
8.20	V 22	04.38.33	T133	529	
8.24	V 22		T133	530	
BAND				531	
				532	
8.54	V 22		T133	531	
LAJEMUITO LISO				533	
				534	
8.60	V 22		T133	532	
8.75	V 42	04.40.03	T134	533	
8.87	V 42		T134	534	
9.14	V 36	04.40.36	T135	535	
0.18	V 36		T135	536	
0.20	V 36		T135	537	
0.40	V 36		T135	538	
0.45	V 33	04.41.21	T136	539	
				540	
				541	
0.68	V 33		T136	540	
0.87	V 33		T136	541	
0.92	V 33		T136	542	
0.94	V 33		T136	543	
1.13	V 33		T136	544	

GASS	
1.17	
V 21 04.42.40	T137
1.32	
V 21	T137
1.41	
V 29 04.43.21	T133
1.51	
V 29	T138
1.58	
V 29	T138
1.82	
V 26 04.44.12	T139
2.39	
V 26	T139
2.59	
V 26	T139
2.66	
V 26	T139
2.80	
V 26	T139
EROSÃO	
FRENTE	
3.00	
V 26	T139
3.74	
V 26	T139
3.81	
V 26	T139
3.94	
V 26	T139
3.97	
V 26	T139
3.99	
V 33 04.49.12	T140
4.04	
V 33	T140
4.10	
V 33	T140
4.24	
N 2' 04.49.39	T141
4.24	
V 24 04.51.39	T142
4.36	
V 40 04.51.57	T143
5.26	
V 40	T143
5.64	
V 40	T143
6.55	
V 40	T143
7.18	
V 40	T143
7.81	
V 40	T143
8.45	
V 34 04.58.06	T144
8.57	
V 34	T144
8.67	
V 34	T144
8.76	
V 34	T144
9.08	
V 34	T144
9.30	
V 42 04.59.36	T145
TORRE	
9.68	
V 42	T145
10.04	
V 33 05.00.39	T146
10.09	
V 33	T146
10.59	
V 33	T146
CDD	
PPAL	
10.70	
V 40 05.01.51	T147
0.00	
V 27 05.03.36	T148
1.17	
V 40 05.03.55	T149
1.31	
V 40	T149
1.48	
V 40	T149
CURTA O VISUAL	
2.00	
N 1' 05.04.57	T150
2.00	
V 40 05.05.57	T151
2.18	
V 40	T151
2.44	
V 40	T151
2.54	
V 40	T151
2.76	
V 36 05.07.05	T152
2.95	
V 36	T152
2.98	
V 36	T152
GASS	
3.11	
V 24 05.07.40	T153
3.36	
V 36 05.08.18	T154
3.53	
V 36	T154
3.58	
V 36	T154
3.71	
V 22 05.08.57	T155
3.75	
V 22	T155
BAND	
3.80	
V 18 05.09.10	T156
3.83	
V 18	T156
3.89	
V 24 05.09.34	T157
3.95	
V 24	T157
3.97	
V 24	T157
4.40	
V 12 05.11.13	T158
4.61	
V 12	T158
4.91	
V 12	T158
4.95	
V 12	T158
4.98	
V 12	T158
5.08	
N 2' 05.13.40	T159
5.10	
V 40 05.15.40	T160
5.10	
V 40	T160
INICIO CALCAMENTO	
6.63	
D 9' 05.20.17	T161
8.18	
D 9'	T161
0.15	
D 9'	T161
0.57	
D 9'	T161
ASFALTO	
1.62	
D 9'	T161
SENTIDO BR153	
3.49	
D 9'	T161
PARE BR	
3.56	
D 9'	T161
3.62	
D 9'	T161
RADAR	
3.77	
D 9'	T161
LOMBADA	
4.51	
D 9'	T161
4.58	
D 9'	T161
4.63	
D 9'	T161
FIM	
ATE 2017	
4.79	
N 1' 05.29.17	T162
FIM DE PROVA !!	
www.t15.com.br	
Tempo de Prova	
MÉDIA C 05:29:17	
FIM	